

Product Safety Data Sheet

SDS # : 20-00705

2023-07-18

Revision 2

AltaLink C8170

Product Identifier

Speed (PPM)

Mono / Color

Multi-Function Equipment J-A272 / J-B272

70

Colour

ELECTRICAL INPUT INFORMATION

Voltage (Volts)

Rated Current (Amperes):

Frequency (Hertz)

Phase Connection

110V-127V

16

50/60

single

220V-240V

10

50/60

single

POWER AND HEAT

	Power (Watts)	Heat Output (BTU/Hr)	Power (Watts)	Heat Output (BTU/Hr)
Active ¹	930	3172	908	3098
Ready ¹	91.0	310.5	79.0	269.6
Sleep ¹	0.68	2.32	0.75	2.56
Standby ¹ (Off/FEMP) ²	0.03	0.1	0.06	0.2

¹ Power states defined per ENERGY STAR Program requirements for Imaging Equipment.

² FEMP - Federal Energy Management Program

Note: The electrical power information provided should not be used to define the electrical support required for this product. Consult your Xerox representative if you require detailed information.

OPERATING ENVIRONMENT

Relative Humidity %

10-85%

Ambient Temperature

50-90% °F

/

10-32 °C

PRODUCT SIZE

Depth	31.2 in.	79.3 cm
Width	26.3 in.	66.8 cm
Height	46.2 in.	117.3 cm
Weight	320 lbs	145 kg

SPACE REQUIREMENTS

Refer to Users Guide

For additional information regarding different configurations please contact your local sales representative.

LIGHT SOURCE:

LED

Chemical Emission Test Methodology RAL - UZ205

The machine was tested under the conditions as specified in the standard inside a room of 2.0 m³ with 4.0 air changes per hour.

PARAMETER

Total Volatile Organic Compounds (TVOC)

Dust

Ozone

Styrene

Benzene

Emission Rate

4.0 mg/h

None detected

None detected

0.2 mg/h

0.01 mg/h



Product Safety Data Sheet

ACOUSTICAL NOISE

	Sound Power Level LwAd (B)	Sound Pressure Level LpAd (dBA)
Run - continuous	70.4	52.7

Xerox Corporation has developed this Product Safety Data sheet for informational purposes as a courtesy for Xerox customers. Any determination regarding the proper use of this information must be made by the user, including any use of the information for compliance with applicable laws, rules and regulations. Xerox believes the information herein to be accurate as of the date of issuance but makes no representations or warranties of any kind, either express or implied, as to the accuracy, completeness or fitness for use of the information. By issuance of this Product Safety Data Sheet, Xerox does not assume any liability or responsibility for losses, claims, liabilities or damages which may result from reliance upon the information herein.

Emergencies US only: 1-585-422-2177
Inquiries US only: 1-800-828-6571
Contact US only: usa.xerox.EHS@xerox.com
Contact Non US only: ehs-europe@xerox.com